



BSI Standards Publication

Office furniture - Office work chair

Part 2: Safety requirements

<http://www.china-gauges.com/>

EUROPEAN STANDARD

EN 1335-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2018

ICS 97.140

Supersedes EN 1335-2:2009, EN 1335-3:2009

English Version

Office furniture - Office work chair - Part 2: Safety requirements

Mobilier de bureau - Sièges de travail de bureau -
Partie 2 : Exigences de sécurité

Büromöbel - Büro-Arbeitsstuhl - Teil 2:
Sicherheitsanforderungen

This European Standard was approved by CEN on 15 July 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

<http://www.china-gauges.com/>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3
1 Scope	4
2 Normative references.....	4
3 Terms and definitions	4
4 Safety requirements.....	4
4.1 General.....	4
4.2 Shear and squeeze points.....	5
4.2.1 Shear and squeeze points under influence of powered mechanisms	5
4.2.2 Shear and squeeze points during use	5
4.3 Sequence of testing.....	5
4.4 Stability tests and requirements	5
4.5 Structural safety requirements.....	6
5 Strength and durability.....	7
5.1 General.....	7
5.2 Requirements	8
5.3 Rolling resistance test and requirements.....	8
6 Information for use	8
7 Test report.....	8
Annex A (informative) Loads, masses and cycles for functional tests - Suggested loads, masses and cycles.....	9

<http://www.china-gauges.com/>

European foreword

This document (EN 1335-2:2018) has been prepared by Technical Committee CEN/TC 207 "Furniture", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2019, and conflicting national standards shall be withdrawn at the latest by May 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1335-2:2009 and EN 1335-3:2009.

This series consist of following parts:

- EN 1335-1, *Office furniture — Office work chair — Part 1: Dimensions — Determination of dimensions*;
- EN 1335-2, *Office furniture — Office work chair — Part 2: Safety requirements*;

The main changes with respect to the previous edition are listed below:

- take into account test methods from EN 1728 and EN 1022.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

<http://www.china-gauges.com/>

1 Scope

This document specifies safety, strength and durability requirements for office work chairs. It does not apply to other seating in the office area for which other European Standards exist. The requirements are based upon use for 8 h a day by persons weighing up to 110 kg. Annex A (informative) contains loads, masses and cycles for functional tests.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1728:2012¹, *Furniture – Seating – Test methods for the determination of strength and durability*

EN 1022:2018, *Furniture – Seating – Determination of stability*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

accessible part

part to which access can easily be gained by the user when the chair is in its intended configuration of use and for which the probability of unintentional user contact is high

3.2

shear and squeeze point

point existing if the distance between two accessible parts moving relative to each other is less than 25 mm and more than 8 mm in any position during movement

3.3

overturn

event at which a seating pivots to the point beyond which the chair continues to fall

<http://www.china-gauges.com/>

3.4

castor

assembly comprising a housing, one or more wheels, an axle and, if required, accessories

4 Safety requirements

4.1 General

The chair shall be so designed as to minimise the risk of injury to the user.

¹ As impacted by EN 1728:2012/AC:2013.

All parts of the chair with which the user comes into contact during intended use, shall be so designed that physical injury and damage to property are avoided.

These requirements are fulfilled when:

- a) the edges of the seat, back rest and arm rests which are in contact with the user when sitting in the chair are rounded with minimum 2 mm radius;
- b) the edges of handles are rounded or chamfered in the direction of the force applied;
- c) all other edges and corners are free from burrs and rounded or chamfered;
- d) the ends of accessible hollow components are closed or capped.

Movable and adjustable parts shall be designed so that injuries and inadvertent operation are avoided. It shall be possible to operate the adjusting devices from sitting position in the chair.

It shall not be possible for any load bearing part of the chair to come loose unintentionally.

4.2 Shear and squeeze points

4.2.1 Shear and squeeze points under influence of powered mechanisms

There shall be no accessible shear and squeeze points created by parts of the chair operated by powered mechanisms, i.e. springs, gas lifts and motorized systems.

4.2.2 Shear and squeeze points during use

There shall be no accessible shear and squeeze points created by loads applied during normal use. Shear and squeeze points are not acceptable if there is a risk of injury created by the weight of the user during normal movements and actions, e.g. manipulating levers and crank handles.

4.3 Sequence of testing

All applicable tests shall be carried out on the same sample.

The chair shall be tested for stability according to EN 1022:2018, 7.3 and in the order of Table 1.

The chair shall be tested for strength and durability according to EN 1728:2012, Clause 7 and in the order of Table 2.

With the exception of the armrest downward static load test – central test, which shall be performed before and after the stability test according to Table 1, the chair shall be tested for stability after the strength and durability tests according to Table 2.

4.4 Stability tests and requirements

When tested according to Table 1, the seating shall not overturn.

Table 1 — Stability tests and parameters

Tests	Reference	Loads and cycles	Test parameters
1. Corner stability	EN 1022:2018, 7.3.3	Force F1, N Cycle	300 1
2. Forward overturning	EN 1022:2018, 7.3.1	Force F1, N Force F2, N Cycle	600 20 1
3. Forward overturning for chairs with footrests	EN 1022:2018, 7.3.2	Force F1, N Force F2, N Cycle	1100 20 1
4. Sideways overturning for chairs without arm rests	EN 1022:2018, 7.3.4	Force F1, N Force F2, N Cycle	600 20 1
5. Sideways overturning for chairs with arm rests	EN 1022:2018, 7.3.5.1 and 7.3.5.2	Force F1, N Force F2, N Force F3, N Cycle	250 350 20 1
6. Rearwards overturning for chairs without back rest inclination and for chairs with adjustable backrest inclination that can be locked	EN 1022:2018, 7.3.6	Force F1, N Force F2, N Cycle	600 0,2857*(1000-H ^a) 1
7. Rearwards overturning for chairs with back rest inclination	EN 1022:2018, 7.4	Number of Discs Cycle	13 1

^a H = height of the loaded seat above the floor in millimetres.

<http://www.china-gauges.com/>

4.5 Structural safety requirements

The structural safety requirements are met when the requirements according to 5.2 are fulfilled.

5 Strength and durability

5.1 General

Table 2 — Test sequence and parameters

Tests	Reference	Loads and cycles	Test parameters
1. Combined seat and back static load test	EN 1728:2012, 7.3	Seat force F1, N Back rest force F2, N Cycles	1600 560 10
2. Seat front edge static load test	EN 1728:2012, 7.4	Force, N Cycles	1600 10
3. Foot rest static load test	EN 1728:2012, 7.8	Force, N Cycles	1300 10
4. Seat and back durability	EN 1728:2012, 7.9	Step 1: Force, N, at point A Cycles Step 2: Force, N, at point C Force, N, at point B Cycles Step 3: Force, N, at point J Force, N, at point E Cycles Step 4: Force, N, at point F Force, N, at point H Cycles Step 5 ^a : Force, N, at point D and G Cycles	1 500 120 000 1 200 320 80 000 1 200 320 20 000 1 200 320 20 000 20 000
5. Armrests durability	EN 1728:2012, 7.10	Force, N Cycles	400 60 000
6.1 Armrest downward static load test – central ^b	EN 1728:2012, 7.5	Force, N Cycles	750 5
6.2 Armrest downward static load test – central ^c		Force, N Cycles	900 5
<p>^a In derogation to EN 1728:2012, 7.2.5 and 7.2.8, the loading point D shall be 150 mm to the right of point A and the loading point G shall be 150 mm to the left of point A.</p> <p>^b This test shall be carried out before the stability tests.</p> <p>^c This test shall be carried out after the stability tests.</p>			

5.2 Requirements

The strength and durability requirements are fulfilled when, after testing in accordance with Table 2:

- a) there are no fractures of any member, joint or component;
- b) there is no loosening of joints intended to be rigid; and
- c) the chair fulfils its functions after removal of the test loads.

5.3 Rolling resistance test and requirements

The rolling resistance test shall be carried out after the stability (according to Table 1) and after the strength and durability tests (according to Table 2).

The unloaded chair shall be tested for rolling resistance according to EN 1728:2012, 6.30 and shall fulfil the following requirements:

- a) the castors shall be of identical construction;
- b) the rolling resistance shall be ≥ 12 N.

6 Information for use

Information for use shall be available in the language of the country in which the product will be available to the end user. It shall contain at least the following details:

- a) information regarding the intended use;
- b) information regarding possible adjustments;
- c) instruction for operating the adjusting mechanisms;
- d) instruction for the care and maintenance of the chair;
- e) information for chairs with seat height adjustments with energy accumulators that only trained personnel may replace or repair seat height adjustment components with energy accumulators;
- f) information on the choice of castors in relation to the floor surface.

7 Test report

<http://www.china-gauges.com/>

The test report shall include at least the following information:

- a) reference to this European Standard (EN 1335-2:2018);
- b) description of the piece of furniture tested;
- c) details of defects observed before testing;
- d) any variation from the specified temperature range;
- e) test results;
- f) name and address of the test facility;
- g) date of test.

Annex A
(informative)

Loads, masses and cycles for functional tests - Suggested loads, masses and cycles

Tests included in Table A.1 are not safety tests but may be useful for testing functions of the chair.

If the functional tests listed in Table A.1 of Annex A (informative) are carried out, they can be carried out on a separated sample.

The suggested loads, masses and cycles in this informative Annex are based upon use for 8 h a day by persons weighing up to 110 kg.

Table A.1 — Loads, masses and cycles for functional tests

Tests	Reference	Loads and cycles	Test parameters
1. Arm rest downward static load test – front	EN 1728:2012, 7.6	Force, N Cycles	450 5
2. Arm rest sideways static load test	EN 1728:2012, 7.7	Force, N Cycles	400 10
3. Swivel test	EN 1728:2012, 7.11	Masse M ₁ , kg Masse M ₂ , kg Cycles	60 35 120 000
4. Foot rest durability	EN 1728:2012, 7.12	Force, N Cycles	900 50 000
5. Castor and chair base durability	EN 1728:2012, 7.13	Masse M1, kg Cycles	110 36 000

<http://www.china-gauges.com/>

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.
- Standards purchased in hard copy format:
- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

<http://www.china-gauges.com/>

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK