

BS EN ISO 10545-1:2014



BSI Standards Publication

Ceramic tiles

Part 1: Sampling and basis for acceptance

bsi.

...making excellence a habit.™

Licensed copy: Imperial College, Imperial College London, Version correct as of 02/05/2014

<http://www.china-gauges.com/>

National foreword

This British Standard is the UK implementation of EN ISO 10545-1:2014. It supersedes BS EN ISO 10545-1:1997 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee B/539, Ceramic tiles and other rigid tiling.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 82283 4

ICS 91.100.23

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2014.

Amendments issued since publication

Date	Text affected
------	---------------

English Version

Ceramic tiles - Part 1: Sampling and basis for acceptance (ISO 10545-1:2014)

Carreaux et dalles céramiques - Partie 1: Échantillonnage et conditions de réception (ISO 10545-1:2014)

Keramische Fliesen und Platten - Teil 1: Probenahme und Grundlagen für die Annahme (ISO 10545-1:2014)

This European Standard was approved by CEN on 6 September 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

<http://www.china-gauges.com/>

Foreword

This document (EN ISO 10545-1:2014) has been prepared by Technical Committee ISO/TC 109 "Ceramic tile" in collaboration with Technical Committee CEN/TC 67 "Ceramic tiles" the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2015, and conflicting national standards shall be withdrawn at the latest by April 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 10545-1:1997.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 10545-1:2014 has been approved by CEN as EN ISO 10545-1:2014 without any modification.

<http://www.china-gauges.com/>

Contents

	Page
Foreword	iv
1 Scope	1
2 Terms and definitions	1
3 Principle	2
4 Constitution of inspection lots	2
5 Extent of the inspection	2
6 Sampling	2
7 Inspection	2
8 Determination of acceptability of inspection lots	3
8.1 Inspection by attributes	3
8.2 Inspection by the average value	3
9 Acceptance Report	3
Bibliography	8

<http://www.china-gauges.com/>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standardization bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 189, *Ceramic Tiles*.

This second edition cancels and replaces the first edition (ISO 10545-1:1995), which has been technically revised.

ISO 10545 consists of the following parts, under the general title *Ceramic Tiles*:

- *Part 1: Sampling and basis for acceptance*
- *Part 2: Determination of dimensions and surface quality*
- *Part 3: Determination of water absorption, apparent porosity, apparent relative density and bulk density*
- *Part 4: Determination of modulus of rupture and breaking strength*
- *Part 5: Determination of impact resistance by measurement of coefficient of restitution*
- *Part 6: Determination of resistance to deep abrasion for unglazed tiles*
- *Part 7: Determination of resistance to surface abrasion for glazed tiles*
- *Part 8: Determination of linear thermal expansion*
- *Part 9: Determination of resistance to thermal shock*
- *Part 10: Determination of moisture expansion*
- *Part 11: Determination of crazing resistance for glazed tiles*
- *Part 12: Determination of frost resistance*
- *Part 13: Determination of chemical resistance*
- *Part 14: Determination of resistance to stains*

<http://www.china-gauges.com/>

- *Part 15: Determination of lead and cadmium given off by glazed tiles*
- *Part 16: Determination of small colour differences*

<http://www.china-gauges.com/>

<http://www.china-gauges.com/>

Ceramic tiles —

Part 1: Sampling and basis for acceptance

1 Scope

This part of ISO 10545 specifies rules for packaging, sampling, inspection, and acceptance/rejection of ceramic tiles.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

order

quantity of tiles ordered at one time

Note 1 to entry: An order may consist of one or more consignments.

2.2

consignment

quantity of tiles delivered during a period of 2 d

2.3

homogeneous consignment/subconsignment

consignment or subconsignment that consists of tiles from one manufacturer, produced under conditions and with properties that are presumed uniform

2.4

inspection lot

quantity of tiles submitted for inspection manufactured by one manufacturer under conditions and with properties that are presumed uniform

2.5

sample

specified number of tiles taken from an inspection lot

2.6

sample size

number of tiles to be tested for each property

2.7

requirement

required characteristic as specified for the property in the relevant product standard

2.8

non-conforming unit

tile that does not meet the requirement for the property concerned

3 Principle

This part of ISO 10545 provides for a sampling inspection system with a double sampling plan, partly for the method of inspection by attributes (individual values) and partly for a method of inspection by average values (variables).

The number of tiles to be tested varies for each property (see [Table 1](#)).

4 Constitution of inspection lots

An inspection lot can consist of one or more homogeneous consignments or subconsignments.

Any consignment which is not homogeneous shall be divided into subconsignments which are assumed to be homogeneous and which might then constitute inspection lots.

If non-homogeneity is not relevant for the properties to be tested, by agreement between the supplier and consumer, the consignment can be treated as homogeneous.

NOTE For example, a consignment of tiles, of the same type with different glazes, can be homogeneous with regard to dimensions and water absorption and non-homogeneous with regard to surface quality. In the same way, accessories which differ only in shape from the remaining tiles in the sample can be considered homogeneous with respect to the other properties.

5 Extent of the inspection

The choice of properties to be considered for inspection shall be subject to agreement between the supplier and consumer and might depend on the size of the inspection lot.

NOTE In principle, a complete range of tests has to only be executed for inspection lots of more than 5 000 m² of tiles. Testing is usually not considered to be necessary for inspection lots of less than 1 000 m² of tiles.

The number of inspection lots to be drawn for testing shall be subject to agreement between the parties concerned.

6 Sampling

6.1 The sampling location shall be subject to agreement between the supplier and consumer.

6.2 One or more representatives of each party concerned can be present at the time the sample is taken. Samples shall be taken at random from the inspection lot. Two samples shall be taken. It might not be necessary to test the second sample. Each sample shall be packed separately and shall be sealed and marked as agreed by the parties concerned.

6.3 For each property, the number of tiles to be tested is indicated as "sample size" in column 2 of [Table 1](#).

7 Inspection

7.1 The tiles in the sample shall be tested according to the test methods specified in the relevant product standards.

7.2 The test results shall be evaluated according to [Clause 8](#).

8 Determination of acceptability of inspection lots

8.1 Inspection by attributes

8.1.1 When the number of non-conforming units found in the initial sample is less than or equal to the acceptance number Ac_1 , indicated in column 3 of [Table 1](#), the inspection lot from which the sample was drawn shall be considered acceptable.

8.1.2 When the number of non-conforming units found in the initial sample is greater than or equal to the rejection number Re_1 , indicated in column 4 of [Table 1](#), this justifies rejection of the inspection lot.

8.1.3 When the number of non-conforming units found in the initial sample lies between the acceptance number and the rejection number (columns 3 and 4 of [Table 1](#)), a second sample of the same size as the initial sample shall be taken and tested.

8.1.4 The number of non-conforming units found in the initial and second samples shall be totaled.

8.1.5 If the total number of non-conforming units is less than or equal to the acceptance number Ac_2 , indicated in column 5 of [Table 1](#), the inspection lot shall be considered acceptable.

8.1.6 If the total number of non-conforming units is greater than or equal to the second rejection number Re_2 , indicated in column 6 of [Table 1](#), this justifies rejection of the inspection lot.

8.1.7 When the relevant product standard calls for more than one property to be tested, the second sample taken (see [8.1.3](#)) shall only be inspected in accordance with those tests which, at the time of inspection of the initial sample, gave numbers of non-conforming units between the acceptance number Ac_1 and the rejection number Re_1 .

8.2 Inspection by the average value

8.2.1 If the average value (\bar{x}_1) of the test results of the initial sample meets the requirements, the inspection lot shall be considered acceptable (column 7 of [Table 1](#)).

8.2.2 If the average value (\bar{x}_1) does not meet the requirements, a second sample of the same size as the initial sample shall be taken (column 8 of [Table 1](#)).

8.2.3 If the average value (\bar{x}_2) of the test results of the combined initial and second samples meets the requirements, the inspection lot shall be considered acceptable (column 9 of [Table 1](#)).

8.2.4 If the average value (\bar{x}_2) does not meet the requirements, this justifies rejection of the inspection lot (column 10 of [Table 1](#)).

9 Acceptance Report

The acceptance report shall include the following information:

- a) a reference to this part of ISO 10545 (i.e. ISO 10545-1);
- b) a description of the tiles;
- c) the sampling procedure;
- d) the constitution of the inspection lot;

<http://www.china-gauges.com/>

- e) the determination of acceptability for each of the tested characteristics.

<http://www.china-gauges.com/>

Table 1 — Sampling Criteria

1 Properties	2 Sample size		3 Inspection by attribute, if required				4 Inspection by average value, if required				11 Test method
			5 Initial sample		6 Initial + second sample		7 Initial sample		8 Initial + second sample		
	Initial	Second	Acceptance number Ac_1	Rejection number Re_1	Acceptance number Ac_2	Rejection number Re_2	Acceptable if	Second sample to be drawn if	Acceptable if	Second sample to be drawn if	
Dimensions ^a	10	10	0	2	1	2	—	—	—	—	2
Surface quality ^b	30	30	1	3	3	4	—	—	—	—	2
	40	40	1	4	4	5	—	—	—	—	
	50	50	2	5	5	6	—	—	—	—	
	60	60	2	5	6	7	—	—	—	—	
	70	70	2	6	7	8	—	—	—	—	
	80	80	3	7	8	9	—	—	—	—	
	90	90	4	8	9	10	—	—	—	—	
	100	100	4	9	10	11	—	—	—	—	
	1 m ²	1 m ²	4 %	9 %	5 %	>5 %	—	—	—	—	
Water absorption ^c	5 ^d	5 ^d	0	2	1	2	$\bar{x}_1 > L^e$	$\bar{x}_1 < L$	$\bar{x}_2 > L$	$\bar{x}_2 < L$	3
	10	10	0	2	1	2	$\bar{x}_1 < U^f$	$\bar{x}_1 > U$	$\bar{x}_2 < U$	$\bar{x}_2 > U$	
Modulus of rupture ^c	7 ^g	7 ^g	0	2	1	2	$\bar{x}_1 > L$	$\bar{x}_1 < L$	$\bar{x}_2 > L$	$\bar{x}_2 < L$	4
	10	10	0	2	1	2					
Breaking Strength ^c	7 ^g	7 ^g	0	2	1	2	$\bar{x}_1 > L$	$\bar{x}_1 < L$	$\bar{x}_2 > L$	$\bar{x}_2 < L$	4
	10	10	0	2	1	2					
Deep Abrasion UGL	5	5	0	2 ^h	1 ^h	2 ^h	—	—	—	—	6
Coefficient of linear thermal expansion	2	2	0	2 ⁱ	1 ⁱ	2 ⁱ	—	—	—	—	8

<http://www.china-gauges.com/>

Table 1 (continued)

1 Properties	2 Sample size		3 Inspection by attribute, if required				4 Inspection by average value, if required				11 Test method
			Initial sample		Initial + second sample		Initial sample		Initial + second sample		
	Initial	Second	Acceptance number Ac ₁	Rejection number Re ₁	Acceptance number Ac ₂	Rejection number Re ₂	Acceptable if	Second sample to be drawn if	Acceptable if	Second sample to be drawn if	
Crazing resistance	5	5	0	2	1	2	—	—	—	—	11
Chemical resistance ^e	5	5	0	2	1	2	—	—	—	—	13
Stain resistance ^e	5	5	0	2	1	2	—	—	—	—	14
Frost resistance ^k	10	—	0	1	—	—	—	—	—	—	12
Thermal shock resistance	5	5	0	2	1	2	—	—	—	—	9
Moisture expansion	5	—	—	Attribution by manufacturer's declaration							10
Resistance to abrasion G ^k	11	—	—	Attribution by manufacturer's declaration							7
Colour difference	5	—	—	Attribution by manufacturer's declaration							16
Impact resistance	5	—	—	Attribution by manufacturer's declaration							5
Lead and cadmium release	5	—	—	Attribution by manufacturer's declaration							15

<http://www.china-gauges.com/>

Table 1 (continued)

1	2		3	4	5	6	7	8	9	10	11
Properties	Sample size		Inspection by attribute, if required				Inspection by average value, if required				Test method
			Initial sample		Initial + second sample		Initial sample		Initial + second sample		
	Initial	Second	Acceptance number Ac_1	Rejection number Re_1	Acceptance number Ac_2	Rejection number Re_2	Acceptable if	Second sample to be drawn if	Acceptable if	Second sample to be drawn if	ISO 10545 part
<p>a Only for tiles with individual areas $\geq 4 \text{ cm}^2$. Sample size = 5 for tiles with edge length (nominal) L in the range of $L \geq 1\,000 \text{ mm}$.</p> <p>b At least 1 m^2 with a minimum of 30 tiles. Whatever the number of tiles in the 1 m^2, the test sample should be rounded to the nearest 10 tiles above. Conformity to acceptable quality level (AQL) 2,5 % in accordance with ISO 2859-1 or ISO 3951 (all parts), is an acceptable alternative to the procedure in this table. Sample size = 20 for tiles with edge length (nominal) L in the range of $L \geq 1\,000 \text{ mm}$.</p> <p>c The sample size depends on the size of the tile. Sample size = 5 for tiles with edge length (nominal) L in the range of $L \geq 1\,000 \text{ mm}$.</p> <p>d Only for tiles with individual surface areas $\geq 0,04 \text{ m}^2$. In the case of tiles with a mass $< 50 \text{ g}$, a sufficient number should be taken so as to form five test specimens, each weighing between 50 g and 100 g.</p> <p>e L: Lower specification limit.</p> <p>f U: Upper specification limit.</p> <p>g Only for tiles with lengths $\geq 48 \text{ mm}$.</p> <p>h Number of measurements.</p> <p>i Number of test specimens.</p> <p>j Per test solution.</p> <p>k There is no double sampling test procedure for these properties. Sample size = 5 for tiles with edge length (nominal) L in the range of $L \geq 1\,000 \text{ mm}$.</p>											

<http://www.china-gauges.com/>

Bibliography

- [1] ISO 2859-1, *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*
- [2] ISO 3951 (all parts), *Sampling procedures for inspection by variables*

<http://www.china-gauges.com/>

<http://www.china-gauges.com/>

<http://www.china-gauges.com/>

<http://www.china-gauges.com/>

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumer organizations and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

bsi.

...making excellence a habit.™

Licensed copy: Imperial College London, Version correct as of 02/05/2016

<http://www.china-gauges.com/>